



CERTIFICATE OF ANALYSIS

PRODUCT NAME: CBD Softgels with Curcumin
PRODUCT STRENGTH: 25mg CBD / 10 mg Curcumin
FILL LOT NUMBER: 2009001
SOFTGEL LOT NUMBER: C32519-07
BEST BY DATE: 09/30/2021

Click on the links to view third party reports!

Physical Attributes

Test	Method	Specification	Results
Color	SOP-100	Bright Red to Pink	PASS
Odor	SOP-100	N/A	PASS
Appearance	SOP-100	Dry, ovoid softgel capsules in container with lid and shrinkband	PASS
Primary Package Eval.	SOP-132	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	SOP-132	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results	Pass/Fail
Potency - Total CBD	SOP-111	23.75-31.25 mg CBD LOQ**: 10 PPM† (0.001%)	<u>29.4mg</u>	PASS
Potency - D9-THC	SOP-111	None Detected LOQ: 10 PPM (0.001%)	<u>ND</u>	PASS
Compliant Pesticide Panel	SOP-111	WIP-100008 : Product specification for Tinctures, Oregon Action limits apply	<u>ND</u>	PASS
Microbial - Stec E.Coli	SOP-111	Complies with USP 61/62	<u>>LOD</u>	PASS
Microbial - Salmonella	SOP-111	Complies with USP 61/62	<u>>LOD</u>	PASS
Microbial - Mold	SOP-111	Complies with USP 61/62	<u>>LOD</u>	PASS
CA Compliant Heavy Metal Panel	SOP-111	Arsenic (As): 1.5 PPM Cadmium (Cd): 0.5 PPM Mercury (Hg): 1.0 PPM Lead (Pb): 0.5 PPM	<u>ND</u>	PASS

* Level of Quantitation, † Parts Per Million

Quality Certified by:

Darcie Moran

04/30/2020

Darcie Moran
 Manager of Quality Assurance

Date




MICROBIOLOGICAL CERTIFICATE OF ANALYSIS

ISO/IEC 17025:2005 STANDART

COA #: M-JO041520-03rt
COA Date: 04/20/20
Sample Rec'd Date: 04/06/20

SAMPLE DESCRIPTION: CBD Softgels 25 mg Curcumin
SAMPLE BATCH/LOT NUMBER: 2011901
ACCU LABORATORY REF.: 0732673
PURCHASE ORDER NUMBER: N/A
TEST METHOD: USP
NOTES: Additional Sample Received on 03/15/20

ANALYSIS	RESULTS
Total Plate Count	<10 CFU/g
Yeast & Mold Count	<10 CFU/g
Bile-Tolerant g-Bacteria (coliforms)	Negative
Escherichia coli	Negative
Salmonella	Negative

Approved By: 
Vano Baghdasarian, Laboratory Director

The results of this test relate only to the samples tested. This test report shall not be reproduced except in full, without written approval of the lab. ACCU Labs shall have no liability to anyone with respect to any interpretations or uses of the COA report, decisions made, or actions taken as a result of or based on the data reported.
Abbreviations: g -: gram negative; g +B: gram positive Bacilli; g +C: gram positive Cocci; TPC: Total Plate Count; TNTC: Too Numerous to Count

Document Information		
File Name and Version: LF-510-01 Certificate of Analysis – V. Micro v.02	Effective Date: 07/25/19	Status: Approved by Vano Baghdasarian



Curcumin Softgel C32519-07

Certificate of Analysis



total cannabinoids	9-THC	THCa	total THC
29.7 mg	0 mg	0 mg	0 mg
per	CBD	CBDa	total CBD
capsule	29.4 mg	0 mg	29.4 mg



Stillwater Laboratories

<https://portal.a2la.org/scopepdf/4961-01.pdf>


Sample Handling

edible

test ID	sample wt	1.9 g
type	edible	order 6866
lab ID	sample date	3/20/2020
unit	capsule	unit weight 0.5 g

Methods

method	equipment
weights	MSP-7.3.1.3 AUX120.1
potency	MSP-7.5.1.5 LC-2030
terpenes	MSP-7.5.1.7 QP2020/HS20
pesticides	MSP-7.5.1.8 LC-8060
mycotoxins	MSP-7.5.1.8 LC-8060
microbial	MSP-7.5.1.9 Hardy Diag
solvents	MSP-7.5.1.6 QP2020/HS20
metals	MSP-7.5.1.1 ICPMS2030



Potency	per	capsule	estimated error	Terpenes	%	estimated error	%	estimated error	%	estimated error
tetrahydrocannabinolic acid (THCa)	0%	0 mg	± 0.01 mg	terpenes not tested / not required						
⁹ -tetrahydrocannabinol (⁹ THC)	0%	0 mg	± 0.01 mg							
⁸ -tetrahydrocannabinol (⁸ THC)	0%	0 mg	± 0.01 mg							
tetrahydrocannabivarin (THCv)	0%	0 mg	± 0.01 mg							
cannabidiolic acid (CBDa)	0%	0 mg	± 0.01 mg							
cannabidiol (CBD)	5.88%	29.4 mg	± 0.13 mg							
cannabidivarin (CBDv)	0%	0 mg	± 0.01 mg							
cannabigerolic acid (CBGa)	0%	0 mg	± 0.01 mg							
cannabigerol (CBG)	.06%	.3 mg	± 0.02 mg							
cannabinol (CBN)	0%	0 mg	± 0.01 mg							
cannabichromene (CBC)	0%	0 mg	± 0.01 mg							

solvents

not tested / not required

SEE NEXT PAGE

Toxic Metals

MT limit	OCS30	LOQ
arsenic	2 ppm	0.0 ppm
cadmium	4.1 ppm	0.0 ppm
lead	1.2 ppm	0.0 ppm
mercury	0.4 ppm	0.0 ppm

Comments

Microbial

MT limit	OCS30	LOQ
E. coli	10 CFU	0 CFU
Salmonella sp.	10 CFU	0 CFU
molds	10000 CFU	0 CFU

• All testing was completed onsite at 6073 US93N, Olney MT • Potency (cannabinoid concentration) is calculated from the equation: [cannabinoid] = [cannabinoid]_{HPLC} x volume_{dilution} / m_{dry}. Terpene concentration is calculated from the equation: [terpene] = (terpene mass)_{GCMS} / m_{dry}. ••• Decarboxylated cannabinoid concentration is calculated from the equation XXX_{total} = 0.877 x XXX_a + XXX ••• Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; this is combined with error from weighing and dilution using the propagation of error formula $s_g^2 = (\frac{f}{i})^2 s_i^2$ where i is the contributor to error. The 95% confidence range is calculated from the equation: (concentration) ± t_{CL90} x s_g. Sampling error is not

Certified by:

Justin M Johnston
Deputy Director
6073 US93N, Olney MT 59927
406-881-2019 rdb@stwlabs.com



OCS30

Curcumin Softgel C32519-07

Supporting Data

Methods	SOP ID	equipment	Comments	Pesticides	result	limit	LOD	LOQ	error	pass/fail
potency	MSP-7.5.1.5	LC-2030		Abamectin	ND	0.3 ppm	0.008	0.023	±0.023 ppm	P
terpenes	MSP-7.5.1.7	QP2020/HS20		Acephate	ND	5.0 ppm	0.008	0.024	±0.024 ppm	P
solvents	MSP-7.5.1.6	QP2020/HS20		Acequinocyl	ND	4.0 ppm	0.007	0.021	±0.021 ppm	P
pesticides	MSP-7.5.1.8	LC-8060		Acetamiprid	ND	5.0 ppm	0.002	0.006	±0.006 ppm	P
mycotoxins	MSP-7.5.1.8	LC-8060		Aldicarb	ND	0.0 ppm	0.002	0.007	±0.007 ppm	P
microbial	MSP-7.5.1.9	Hardy Diag		Azoxystrobin	ND	40.0 ppm	0.002	0.007	±0.007 ppm	P
metals	MSP-7.5.1.10	ICPMS2030		Bifenazate	ND	5.0 ppm	0.002	0.005	±0.005 ppm	P
				Bifenthrin	ND	0.5 ppm	0.001	0.003	±0.003 ppm	P
				Boscalid	ND	10.0 ppm	0.022	0.067	±0.067 ppm	P
				Captan	NT	5.0 ppm				NA
				Carbaryl	ND	0.5 ppm	0.009	0.027	±0.027 ppm	P
				Carbofuran	ND	0.0 ppm	0.002	0.005	±0.005 ppm	P
				Chloanthraniliprole	ND	40.0 ppm	0.021	0.064	±0.064 ppm	P
				Chlordane	NT	0.0 ppm				NA
				Chlorfenapyr	ND	0.0 ppm	0.006	0.017	±0.017 ppm	P
				Chlormequat	ND	0.0 ppm	0.008	0.025	±0.025 ppm	P
				Chlorpyrifos	ND	0.0 ppm	0.044	0.133	±0.133 ppm	P
				Clofentezine	ND	0.5 ppm	0.008	0.024	±0.024 ppm	P
				Coumaphos	ND	0.0 ppm	0.006	0.017	±0.017 ppm	P
				Cyfluthrin	ND	1.0 ppm	0.008	0.024	±0.024 ppm	P
				Cypermethrin	ND	1.0 ppm	0.006	0.017	±0.017 ppm	P
				Daminozide	ND	0.0 ppm	0.030	0.091	±0.091 ppm	P
				Dichlorvos	ND	0.0 ppm	0.016	0.047	±0.047 ppm	P
				Diazinon	ND	0.2 ppm	0.001	0.004	±0.004 ppm	P
				Dimethoate	ND	0.0 ppm	0.002	0.007	±0.007 ppm	P
				Dimethomorph	NT	20.0 ppm				NA
				Ethoprop	ND	0.0 ppm	0.003	0.008	±0.008 ppm	P
				Ethoprop	ND	0.0 ppm	0.003	0.008	±0.008 ppm	P
				Etoxazole	ND	1.5 ppm	0.004	0.012	±0.012 ppm	P
				Fenhexamid	NT	10.0 ppm				NA
				Fenoxycarb	ND	0.0 ppm	0.004	0.012	±0.012 ppm	P
				Fenpyroximate	ND	2.0 ppm	0.001	0.004	±0.004 ppm	P
				Fipronil	ND	0.0 ppm	0.008	0.024	±0.024 ppm	P
				Flonicamid	ND	2.0 ppm	0.108	0.323	±0.323 ppm	P
				Fludioxonil	ND	30.0 ppm	0.007	0.021	±0.021 ppm	P
				Hexythiazox	ND	2.0 ppm	0.010	0.031	±0.031 ppm	P
				Imazalil	ND	0.0 ppm	0.007	0.021	±0.021 ppm	P
				Imidacloprid	ND	3.0 ppm	0.001	0.004	±0.004 ppm	P
				Kresoxym Methyl	NT	0.0 ppm				NA
				Malathion	ND	5.0 ppm	0.006	0.017	±0.017 ppm	P
				Metalaxyl	ND	15.0 ppm	0.008	0.025	±0.025 ppm	P
				Methiocarb	ND	0.0 ppm	0.004	0.012	±0.012 ppm	P
				Methomyl	ND	0.1 ppm	0.006	0.019	±0.019 ppm	P
				Methyl parathion	ND	0.0 ppm	0.001	0.003	±0.003 ppm	P
				Mevinphos	ND	0.0 ppm	0.006	0.017	±0.017 ppm	P
				Myclobutanil	ND	9.0 ppm	0.001	0.003	±0.003 ppm	P
				Naled	ND	0.5 ppm	0.006	0.017	±0.017 ppm	P
				Oxamyl	ND	0.2 ppm	0.002	0.007	±0.007 ppm	P
				Paclobutrazol	ND	0.0 ppm	0.003	0.009	±0.009 ppm	P
				PCNB	NT	0.2 ppm				NA
				Permethrin	ND	20.0 ppm	0.011	0.033	±0.033 ppm	P
				Phosmet	ND	0.2 ppm	0.003	0.010	±0.010 ppm	P
				Piperonylbutoxide	ND	8.0 ppm	0.011	0.033	±0.033 ppm	P
				Prallethrin	ND	0.4 ppm	0.004	0.012	±0.012 ppm	P
				Propiconazole	ND	20.0 ppm	0.004	0.012	±0.012 ppm	P
				Propoxur	ND	0.0 ppm	0.006	0.019	±0.019 ppm	P
				Pyrethrin	ND	1.0 ppm	0.003	0.008	±0.008 ppm	P
				Pyridaben	ND	3.0 ppm	0.001	0.003	±0.003 ppm	P
				Spinetoram	ND	3.0 ppm	0.004	0.011	±0.011 ppm	P
				Spinosad	ND	3.0 ppm	0.007	0.022	±0.022 ppm	P
				Spiromesifen	ND	12.0 ppm	0.003	0.010	±0.010 ppm	P
				Spiromesifen	ND	12.0 ppm	0.003	0.010	±0.010 ppm	P
				Spiromesifen	ND	12.0 ppm	0.003	0.010	±0.010 ppm	P
				Spirotetramat	ND	13.0 ppm	0.003	0.008	±0.008 ppm	P
				Spiroxamine	ND	0.0 ppm	0.001	0.003	±0.003 ppm	P
				Tebuconazole	ND	2.0 ppm	0.005	0.016	±0.016 ppm	P
				Thiacloprid	ND	0.1 ppm	0.001	0.003	±0.003 ppm	P
				Thiamethoxam	ND	4.5 ppm	0.003	0.010	±0.010 ppm	P
				Trifloxystrobin	ND	30.0 ppm	0.002	0.007	±0.007 ppm	P

Methods	SOP ID	equipment	Comments	LOD	LOQ	error	pass/fail
Mycotoxins							
Ochratoxin A	ND	20 ppb	0.5 1.4 ±1.4 ppb				P
Aflatoxin B1B2G1G2	ND	20 ppb	0.5 1.4 ±1.4 ppb				P
Microbial							
NOT REQUIRED							
Metals							
NOT REQUIRED							
Residual Solvents							
NOT REQUIRED							

• All testing was completed onsite at 6073 US93N, Olney MT • Potency (cannabinoid concentration) is calculated from the equation: [cannabinoid] = [cannabinoid]_{HPLC} x volume_{dilution}/m_{dry}. Terpene concentration is calculated from the equation: [terpene] = (terpene mass)_{GCMS} / m_{dry}. ••• Decarboxylated cannabinoid concentration is calculated from the equation XXX_{total} = 0.877 x XXX_a + XXX ••• Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; LOD is the limit of detection (3.3s), LOQ is the limit of quantification (3xLOD), and experimental error is calculated from weighing, dilution, and interpolation error using the formula s_g² = (f/i) ²s_i² where i is the contributor to error. The 95% confidence range is calculated from the equation: (concentration) ± t_{CL90} x s_g. Sampling error is not considered in error calculations. ND = not detected (< LOD), NT = not tested, P = pass, F = fail, NL = no limit, NA = not applicable.

Certified by:

Justin M Johnston

Deputy Director

Stillwater Laboratories Inc.
MT License L0001, L00007
6073 US93N Suite 5
Olney MT 59927
406-881-2019

<https://portal.a2la.org/scopepdf/4961-01.pdf>

Printed 3/26/2020 11:22 AM